

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSENDER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.upote.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/815,453	03/31/2004	Ricardo E. Gonzalez	PA2718US	7783
22830 CARR & FER	7590 03/17/201 RELLLIP	0	EXAMINER	
2200 GENG R	ROAD		MCLEOD, MARSHALL M	
PALO ALTO,	CA 94303		ART UNIT	PAPER NUMBER
			2457	
			MAIL DATE	DELIVERY MODE
			03/17/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

10/815,453 GONZALEZ ET AL. Office Action Summary Examiner Art Unit MARSHALL MCLEOD 2457

Application No.

Applicant(s)

The MAILING DATE of this communication appears Period for Reply	on the cover sheet with the correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY IS & WHICHEVER IS LONGER, FROM THE MALING DATE: Extensions of time may be available under the provisions of 37 CPR 1.136(a), after 50 (c) MONTES from the making date of this communication, after 50 (c) MONTES from the making date of this communication, after 50 (c) MONTES from the making date of the communication, after 50 (c) MONTES from the making date of the communication, and the state of	OF THIS COMMUNICATION. In no event, however, may a reply be timely filed by and will expire SIX (6) MONTHS from the mailing date of this communication. the application to become ABANDONED (35 U.S.C. § 133).
Status	
Responsive to communication(s) filed on <u>19 Noven</u> 2a) This action is FINAL. 2b This action is FINAL. 3) Since this application is in condition for allowance closed in accordance with the practice under £x pa	on is non-final. except for formal matters, prosecution as to the merits is
Disposition of Claims	
4) Claim(s) 1-26 and 81-89 is/are pending in the application of the above claim(s) is/are withdrawn from the state of the above claim(s) is/are allowed. 6) Claim(s) 1-26, and 81-89 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or elections.	om consideration.
Application Papers	
9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted. Applicant may not request that any objection to the drawing Replacement drawing sheet(s) including the correction is 11) The oath or declaration is objected to by the Examin	ing(s) be held in abeyance. See 37 CFR 1.85(a). required if the drawing(s) is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119	
12) Acknowledgment is made of a claim for foreign prior a) All b) Some * c) None of: 1. Certified copies of the priority documents have compared to the priority of	re been received. re been received in Application No cocuments have been received in this National Stage TRule 17.2(a)).
Attachment(s)	
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3. Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary (PTO-413) Paper No(s)/Mail Date. 5) Notice of Informal Patent Application.

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date 5) Notice of Informal Fatert Application.	
Paper No(s)/Mail Date	6) Other:	

Application/Control Number: 10/815,453 Page 2

Art Unit: 2457

DETAILED ACTION

1. Claims 1-26, and 81-89 are pending in this application.

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all
 obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-6, 8-10, 12-19, 21-23, 25-26, and 81-89 are rejected under 35 U.S.C. 103(a) as being unpatentable over 1sfeld et al. (Patent No US 5,828,835), hereinafter 1sfeld, in view of Hagsand et al. (Patent No US 7,254,142 B2), hereinafter Hagsand and further in view of Chuprun et al. (Patent No US 6,115,580), hereinafter Chuprun.
- 4. With respect to claim 1, Isfeld discloses accepting the channel in the destination processing node (Column 3, lines 1-4); allocating a transmit buffer for the channel in the source processing node (Column 4, lines 29-35; i.e. messages to be transmitted on the connectionless communication link can be interpreted as allocating a transmit buffer for the channel); allocating a receive buffer for the channel in the destination processing node (Column 4, lines 11-17); writing data from a source processing element to the transmit buffer (Column 3, lines 40-48); transmitting the data from the transmit buffer over the channel using a source network interface in the source processing node (Column 2, lines 40-45); receiving the data over the channel into

Art Unit: 2457

the receive buffer using a destination network interface in the destination processing node (Column 4, lines 11-17); reading in the data from the receive buffer into the destination processing element (Column 4, lines 11-17).

Isfeld does not disclose a method of communicating data between a plurality of processing nodes, the method comprising: determining a route for a unidirectional channel from a source processing node to a destination processing node within the array of processor nodes, the determined route based on a physical description of the array of processor nodes; generating the unidirectional channel along the determined route from the source processing node to the destination processing node, the channel having a bandwidth requirement.

However, Hagsand discloses the channel that has bandwidth requirement (Column 3, lines 42-43).

It would have been obvious to a person having ordinary skill in the art at the time of the invention to modify the teachings of Isfeld with the teachings of Hagsand in order to speed up or reduce the transfer of data by specifying that the system bandwidth meet certain requirements.

The combination of Isfeld and Hagsand does not disclose a method of communicating data between a plurality of processing nodes, the method comprising: determining a route for a unidirectional channel from a source processing node to a destination processing node within the array of processor nodes, the determined route based on a physical description of the array of

Art Unit: 2457

processor nodes; generating the unidirectional channel along the determined route from the source processing node to the destination processing node.

However, Chuprun discloses a method of communicating data between a plurality of processing nodes (Column 1, lines 13-15), the method comprising: determining a route for a unidirectional channel from a source processing node to a destination processing node within the array of processor nodes, the determined route based on a physical description of the array of processor nodes (Column 2, lines 1-23); generating the unidirectional channel along the determined route from the source processing node to the destination processing node (Column 5, lines 63-67 and continued through to Column 6, lines 1-12).

It would have been obvious to a person having ordinary skill in the art at the time of the invention to modify the combined teachings of Isfeld and Hagsand with the teachings of Chuprun, in order to improving connectivity and throughput in a wireless communications network (Chuprun; Column 2, lines 24-26).

5. With respect to claim 14, Isfeld discloses a source processing node (Column 37, Claim 1), allocate a transmit buffer for the unidirectional channel, and write data to the transmit buffer for the unidirectional channel (Column 12, lines 26-48), and a source network interface (Column 12, lines 11-18), configured to transmit the data from the transmit buffer of the source processing node over the unidirectional channel (Column 2, lines 40-45); and a destination processing node (Column 4, lines 11-17), a destination processing element configured to accept the unidirectional

Art Unit: 2457

channel, allocate a receive buffer for the channel in the destination processing node, and receive the data from the receive buffer (Column 4, lines 11-17), a destination network interface (Column 8, lines 50-52) configured to receive the data into the receive buffer for the unidirectional channel (Column 4, lines 11-17).

Isfeld does not disclose the unidirectional channel having a bandwidth requirement and generated by the source processing element along a route, the route and the bandwidth requirement based on one or more tasks associated with the destination processing node, and the source processing node and destination processing node included within an array of processing nodes.

However, Hagsand discloses a channel that has bandwidth requirement (Column 3, lines 42-43).

It would have been obvious to a person having ordinary skill in the art at the time of the invention to modify the teachings of Isfeld with the teachings of Hagsand in order to speed up or reduce the transfer of data by specifying that the system bandwidth meet certain requirements.

The combination of Isfeld and Hagsand does not disclose generated by the source processing element along a route, the route and the bandwidth requirement based on one or more tasks associated with the destination processing node, and the source processing node and destination processing node included within an array of processing nodes.

However, Chuprun discloses generated by the source processing element along a route, the route and the bandwidth requirement based on one or more tasks associated with the destination processing node, and the source processing node and destination processing node included

within an array of processing nodes (Column 2, lines 1-23).

It would have been obvious to a person having ordinary skill in the art at the time of the invention to modify the combined teachings of Isfeld and Hagsand with the teachings of Chuprun, in order to improving connectivity and throughput in a wireless communications network (Chuprun; Column 2, lines 24-26).

- 6. With respect to claims 2 and 15, Isfeld discloses wherein the unidirectional channel is associated with a first task executing on the source processing element and a second task executing on the destination processing element (Column 12, lines 49-57).
- With respect to claims 3 and 16, Isfeld discloses wherein the unidirectional channel is
 associated with a first port in the source processing element and a second port in the destination
 processing element (Column 41; Claim 41, lines 21-32).
- 8. With respect to claims 4 and 17, Isfeld discloses the size of buffers (Column 20, lines 12-18). Isfeld does not disclose wherein the unidirectional channel has a maximum number of buffers. However, Hagsand discloses wherein the unidirectional channel has a maximum number of buffers (Column 4, lines 17-24).

9. With respect to claims 5 and 18, Isfeld does not disclose reserving intermediate resources

for the unidirectional channel based on the bandwidth requirements. However, Hagsand

discloses reserving intermediate resources for the unidirectional channel based on the bandwidth

requirements (Column 2, lines 63-67 and continued through to Column 3, lines 1-15).

10. With respect to claims 6 and 19, Isfeld does not disclose guaranteeing bandwidth based

on the bandwidth 5 requirements using time division multiplexing. However, Hagsand discloses

guaranteeing bandwidth based on the bandwidth requirements using time division multiplexing

(Column 2, lines 38-44).

11. With respect to claims 8 and 21, Isfeld discloses polling a plurality of channels to check

if data is received into the receive buffer for the unidirectional channel (Column 12, lines 44-50;

i.e. ...hardware keeps state information which can be interpreted that the hardware checks if the

channel has received data i.e. polling).

12. With respect to claims 9 and 22, Isfeld discloses freeing the transmit buffer (Column 34,

lines 52-54).

13. With respect to claims 10 and 23, Isfeld discloses freeing the receive buffer (Column 38;

Claim 11, line 36).

14. With respect to claims 12 and 25, Isfeld discloses receiving a pointer for the data in the

receive buffer into the destination processing element and wherein receiving the data from the

receive buffer is based on the pointer (Column 12, lines 40-48).

15. With respect to claims 13 and 26, Isfeld discloses wherein a time for a receive call in the

destination processing element does not depend upon a size of the data (Column 2, line 40-50).

16. With respect to claim 81, neither Isfeld nor Hagsand discloses receiving the first task in

the source processing node, wherein the step of generating a channel is performed in response to

receiving the first task.

However, Chuprun discloses receiving the first task in the source processing node, wherein the

step of generating a channel is performed in response to receiving the first task (Column 6, lines

1-12).

17. With respect to claim 82, neither Isfeld nor Hagsand discloses determining a topology of

processing nodes to process one or more tasks, the topology including the channel.

However, Chuprun discloses determining a topology of processing nodes to process one or more

tasks, the topology including the channel (Column 7, lines 11-22).

- 18. With respect to claim 83, Isfeld discloses receiving a response signal from the destination
- processing node by the source processing node (Column 9, lines 49-59).
- 19. With respect to claim 84, neither Isfeld nor Hagsand discloses assigning tasks to one or more nodes in the array of nodes, wherein said step of generating the unidirectional channel is performed in response to said step of assigning tasks.

However, Chuprun discloses assigning tasks to one or more nodes in the array of nodes, wherein said step of generating the unidirectional channel is performed in response to said step of assigning tasks (Column 2, lines 1-17).

With respect to claim 85, neither Isfeld nor Hagsand discloses wherein the route for the
unidirectional channel is further based on a physical description of the multi-processor system.

However, Chuprun discloses wherein the route for the unidirectional channel is further generated based on a physical description of the multi-processor system (Column 5, lines 37-52).

21. With respect to claim 86, neither Isfeld nor Hagsand discloses wherein a compiler is configured to determine routing information for one or more channels and assign a task to one or more destination processing nodes.

Art Unit: 2457

However, Chuprun discloses wherein a compiler is configured to determine routing information for one or more channels and assign a task to one or more destination processing nodes (Column 3, lines 22-41).

22. With respect to claim 87, neither Isfeld nor Hagsand discloses wherein the transmit buffer and receive buffer are allocated based on the one or more tasks and a physical description of a portion of the array of nodes over which the data is to be transmitted.

However, Chuprun discloses wherein the transmit buffer and receive buffer are allocated based on the one or more tasks and a physical description of a portion of the array of nodes over which the data is to be transmitted (Column 5, lines 37-52).

23. With respect to claim 88, neither Isfeld nor Hagsand discloses wherein determining a route for a unidirectional channel is based on an application description.

However, Chuprun discloses wherein determining a route for a unidirectional channel is based on an application description (Column 6, lines 13-21).

24. With respect to claim 89, neither Isfeld nor Hagsand discloses wherein generating the unidirectional channel along the determined route is based on an allocated communication bandwidth between a first task on the source processing node and a second task on the destination processing node.

However, Chuprun discloses wherein generating the unidirectional channel along the determined route is based on an allocated communication bandwidth between a first task on the source processing node and a second task on the destination processing node (Column 6, lines 13-26).

- 25. Claims 7 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Isfeld, in view of Hagsand, in view of Chuprun and further in view of Plante (Pub. No US 2004/0208602 A1).
- 26. With respect to claims 7 and 20, Isfeld does not disclose guaranteeing bandwidth based on the bandwidth requirements using spatial division multiplexing. However, Plante discloses guaranteeing bandwidth based on the bandwidth requirements using spatial division multiplexing (Page 18; [0210], lines 1-8). It would have been obvious to a person having ordinary skill in the art at the time of the invention to modify the teachings of Isfeld with the teachings of Plante in order to transmit independent and separately encoded data signals using the current channel and specified bandwidth requirement put in place.
- Claims 11 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over
 Isfeld, in view of Hagsand, in view of Chuprun and further in view of Pitts (Patent No US 6,505,241 B2).

With respect to claims 11 and 24, Isfeld does not disclose destroying the unidirectional channel.

However, Pitts discloses destroying the unidirectional channel (Column 30, line 32).

Application/Control Number: 10/815,453 Page 12

Art Unit: 2457

Response to Arguments

 Applicant's arguments filed 19 November 2009 have been fully considered but they are not persuasive.

29 With respect to applicant's arguments on page 17 of the instant remarks. Applicant's contend that Chuprun does not disclose "determining a route for a "unidirectional" channel from a source processing node to a destination processing node"". The examiner respectfully disagrees and refers applicant to (Column 5, lines 63-67 and continued through to Column 6, lines 1-12), which the examiner interprets as discloses determining a route for a "unidirectional" channel from a source processing node to a remote node (i.e. destination node). Next, applicant's, refer to, cites (Chuprun, Col. 2, Lines 49-50) and concludes that in Chuprun "each of the outdoor terrain nodes includes a bi-directional transceiver and is in bidirectional communication with another outdoor node". The examiner respectfully disagrees with applicant's conclusion that "...nodes includes a bi-directional transceiver and is in bidirectional communication with another outdoor node". The examiner respectfully states to applicant's that Chuprun does not disclose bi-directional transceivers and as such applicant's conclusion is improper. Next, applicant's contend that Chuprun does not disclose or suggest "a source and destination "processing node" within an array of processor nodes. The array of processor nodes is comprised of one or more processors". The examiner respectfully disagrees and states to applicant's that nowhere within applicant's claim 1 does it mention "The array of processor nodes is comprised of one or more processors". As such applicant's argument is moot.

Application/Control Number: 10/815,453 Page 13

Art Unit: 2457

30. With respect to applicant's arguments on page 18 of the instant remarks. Applicant's contend that "Chuprun should not be combined with Isfeld and Hagsand because the references are not compatible with each other". The examiner respectfully disagrees and states to applicant's that, it has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See *In re Oetiker*, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, as correctly stated by applicant's "Isfeld and Hagsand relate to broadcast over connection-less wired channels". As in Isfeld and Hagsand, Chuprun also relates to broadcast over connection-less wired channels (Column 9, lines 19-30), as well as wireless transceivers associated with nodes.

- 31. With respect to applicant's arguments on page 19 of the instant remarks. Applicant's contend that "Hagsand does not teach "a maximum number of buffers and size of buffers". The examiner respectfully disagrees and states to applicant's that, no device has an infinite number of buffers or has a buffer on infinite size and as such all devices have a maximum number of buffers and size of buffers.
- 32. With respect to applicant's arguments on pages 22 and 23 of the instant remarks, in regards to claims 9, 10, 22 and 23. Applicant's contend that "In repeating the rejection, the Examiner did not identify the limitation "using the source processing element" in any of the

cited references". The examiner respectfully disagrees and states to applicant's that Isfeld (Column 34, lines 52-54) discloses "the IOS driver frees up the transmit buffers." Which, when interpreted in the broadest reasonable light reads on applicant's limitation of "freeing the transmit buffer using the using the source processing element". Since applicant's did not state whether the source processing element and source node are one in the same and did not state that it is not an intelligent I/O module (IOS) within the node or node network. The examiner has reasonable interpreted it to be a software module (i.e. an intelligent I/O module (IOS)).

- 33. With respect to applicant's arguments on page 24 of the instant remarks, in regards to claims 12 and 25. Applicant's contend that "the Examiner did not consider the claim 12 limitation that "reading the data from the receive buffer into the destination processing element is based on the pointer." The examiner respectfully disagrees and refers applicant's to (Column 12, lines 10-48; i.e. discloses ... the beginning of a message, includes a pointer 204 to a source buffer (i.e. destination processing element)). Since applicant's did not state whether the destination processing element and destination node are one in the same or a buffer within the node. The examiner has interpreted it the broadest reasonable light to be a buffer.
- 34. With respect to applicant's arguments on page 25 of the instant remarks, in regards to claims 13 and 26. Applicant's contend that the examiner did not answer the substance of applicants' arguments. The examiner respectfully disagrees and states to applicants' that, applicants' argument that "the number of commands depends on the number of fragments. The time to transmit a message depends on the number of commands. Thus, a time for a receive call

in the destination processing element depends on a size of the data." Is an incorrect assertion, as Isfeld did not disclose where "the time to transmit a message depends on the number of commands"

35. With respect to applicant's arguments on page 25 of the instant remarks, in regards to claims 7 and 20. Applicant's contend that the examiner did not answer the substance of applicants' arguments. The examiner respectfully disagrees and states to applicants' that, applicants' arguments were simply predicated upon claims 7 and 20 being dependent to claims 1 and 14 respectively which applicants' believed to be allowable. The examiner refers applicants' to the rejections above for claims 1, 14, 7 and 20 and the response to arguments for claims 1 and 14 which addresses applicants' arguments.

Conclusion

 THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARSHALL MCLEOD whose telephone number is (571)270-3808. The examiner can normally be reached on Monday - Thursday 6:30 a.m-4:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (571) 272-4001. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ramy M Osman/ Primary Examiner, Art Unit 2457

/Marshall McLeod/ Examiner, Art Unit 2457 3/13/2010